


# Open you vm


CPU	VCPU	Memory	Cost / CPU	Cost / MByte
1	1	2GB	0	2.83203e-06

The resize is not available when the vm is ON Before changing hardware configuration you need to turn of the VM

You can turn off by using SSH or the web interface :



- “Send the power off signal” will send a signal to the VM to do a proper shutdown
- “Power off the machine” will power off the machine similar than removing the computer power. This should be use only if the “Send the power off signal” don't work.



The status is now powering off :



Press the double arrow to refresh the status until the status is OFF :



Now you can click on Resize button to add or remove resources :




**OFF**

x1 - 2GB - t-cloud-debian10

10.40.41.18, fe80::aff:fe28:2912

huwilers 10m ago - ID: 194

Control icons: Refresh, Save, Delete, Play




vCenter information

GUEST STATE	running	VMWARETOOLS RUNNING STATUS	guestToolsRunning
VMWARETOOLS VERSION	10346	VMWARETOOLS VERSION STATUS	guestToolsUnmanaged

- Capacity
- Storage
- Network
- Snapshots
- Actions

CPU	VCPU	Memory	Cost / CPU	Cost / MByte	Resize
1	1	2GB	0	2.83203e-06	Resize

Update the values :



And click on Resize

Now just power on the VM by pressing the arrow button

## demodeb2

OFF 

 x1 - 4GB - t-cloud-debian10

 10.40.41.18, fe80::aff:fe28:2912

 huwilers 14m ago - ID: 194

---

 Power on

CF  
3  
2  
1  
0  
10  
Ne  
3  
0.5  
C

From:  
<https://doc.eresearch.unige.ch/> - **eResearch Doc**

Permanent link:  
<https://doc.eresearch.unige.ch/iaas/modifyvmcpuram?rev=1590492918>

Last update: **2025/06/11 12:27**

