

Preservation Job Parameters

Job Type

1. ARCHIVE_CHECK ⇒ Run the archive check on all archives
2. ARCHIVE_PRELOAD_BIG ⇒ Preload the archives bigger than 4GB to prepare DIP
3. ARCHIVE_PRELOAD_SMALL ⇒ Preload the archives smaller than 4GB to prepare DIP
4. CHECK_COMPLIANCE_LEVEL ⇒ coming soon
5. CLEAN_SUBMISSION ⇒ Purge deposits & SIP when archives are completed and replicated based on submission policy
6. SIMPLE_CLEAN_SUBMISSION ⇒ Purge deposits & SIP when archives are completed without checking replication based on submission policy
7. DISPOSAL ⇒ Trigger the disposal process
8. FIXITY ⇒ Run the fixity check for all archives
9. METADATA_MIGRATION ⇒ Metadata Version Upgrade
10. PURGE_ORDER ⇒ Purge order data when order completed
11. PURGE_SUBMISSION_TEMP_FILES ⇒ Purge temporary files of submission process
12. REINDEX ⇒ Re-index all archives on main storage
13. REINDEX_ALL ⇒ Re-index all archives on all storages
14. RELOAD ⇒ Reload all archives from the storage
15. RELOAD_INGEST ⇒ Reload all SIP & deposits from the archives
16. REPLICATION ⇒ Run the replication process on different storage nodes
17. REPLICATION_CHECK ⇒ Run the replication check on all archives

Job Recurrence

1. ONCE ⇒ Once
2. DAILY ⇒ Daily
3. MONTHLY ⇒ Monthly
4. WEEKLY ⇒ Weekly
5. YEARLY ⇒ Yearly

Enabled/Disabled Job

Enable or disable the preservation job.

Maximum Items

- 0 ⇒ No limit
- *<number>* ⇒ The job runs until it has been processed *number* items.

Job Parameters

From:

<https://doc.eresearch.unige.ch/> - **eResearch Doc**

Permanent link:

<https://doc.eresearch.unige.ch/yareta/job-parameters?rev=1755262576>

Last update: **2025/08/15 12:56**

